TM

Aztec Chemicals

Customer Services: 01270 655500 Fax: 01270 655501 E-mail: info@aztecchemicals.com www.aztecchemicals.com







BRUSH RANGE

Item No: 29152
Broom, 325 mm

Aztec Chemicals™



This heavy duty broom is ideal for sweeping heavy/large particles. This brush is suitable for use in wet and external areas and can be used with any handle within the colour coded range.

Technical data

Filament Description Stiff
Visible Filament Length 109 mm
Material Polypropylene, Polyester, SS
Colour Green
Height 170 mm
Length 330 mm
Width 100 mm
Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 70662 Brush Head Soft 300mm

Aztec Chemicals™



This Broom is suitable for dry environments such as flour stores. This broom is ideal forsweeping flour and starch as well as other dry powders. Must only be used in dry areas.

Technical data

Filament Description Soft
Visible Filament Length 58 mm
Material Polypropylene, Stainless Steel

Colour Green
Height 125 mm
Length 300 mm
Width 85 mm

Max cleaning temperature (Autoclave) 100 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) -20 °Celsius
Min. usage temperature 60 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 31742
Broom, Green.

Aztec Chemicals™



This sweeping broom has two types of bristles. When pushing the broom forward the front rows, which have firm bristles, loosen the dirt and push heavier debris. The softer bristles of the back rows, gather the finer particles. It is suitable for all areas in kitchens and restaurants.

Technical data

Filament Description: Soft/stiff
Visible Filament Length: 60 mm
Material: Polypropylene, Polyester, SS

Colour: Green
Height: 120 mm
Length: 410 mm
Width: 90 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 70602 Wall-/Floor Washing Brush



This floor scrubbing broom has firm bristles. The bristle length is perfect for scrubbing all types of floors; epoxy, tiles, cement, etc. It also reaches well into holes and grouting to remove hidden dirt.

Technical data

Filament Description: Stiff
Visible Filament Length: 46 mm
Material: Polypropylene, Polyester, SS

Colour: Green
Height: 110 mm
Length: 305 mm
Width: 85 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 70472
High-Low Brush

Aztec Chemicals™



The High-Low brush is particularly suitable for cleaning fillets (junction between floor/wall) and under machines and equipment, since the angle of the thread enables you to place the mounted handle parallel to the floor and thus clean/scrub under the equipment. This brush is also ideal for cleaning drains and gulleys.

Technical data

Filament Description: Medium
Visible Filament Length: 41 mm
Material: Polypropylene, Polyester, SS

Colour: Green
Height: 100 mm
Length: 265 mm
Width: 150 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 526852 Brush Head Waterfed Vehicle 250mm

Aztec Chemicals™



The angle adjustable feature of this safe & effective wash brush enables it to work effectively in high & difficult to access areas, used with a selection of telescopic handles

Technical data

Filament Description Soft/split
Visible Filament Length 47 mm
Material PP, PBT

Height 160 mm
Length 250 mm
Width 130 mm

Max. usage temperature (for food contact) 50 °Celsius
Min. pH-value in usage concentration 3
Max. pH-value in Usage Concentration 11

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 70432 Deck Scrub, waterfed.

Aztec Chemicals™



This deck scrub has very effective water distribution and is ideal for use in heavily soiled areas such as abattoirs and meat processing plants.

Technical data

Filament Description Medium
Visible Filament Length 32 mm
Material Polypropylene, Polyester, SS

Colour Green
Height 100 mm
Length 270 mm
Width 75 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 71602
Squeegee, 600 mm

Aztec Chemicals™



Ultra hygienic squeegee, combines optimum hygiene with effective water removal from walls, floors and table surfaces. The angled blade allows the squeegee to remove water from corners and other difficult to reach areas. The squeegee's splash guard ensures that the liquid is not splashed onto the dried surface.

Technical data

Material Polypropylene, TPE Rubber
Colour Green
Length 600 mm
Width 80 mm
Height 95 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 50 °Celsius
Max usage temperature (non food contact) 100 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed before use, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 29592
Item No: 29752
Broom Handles

Aztec Chemicals™

Item No: 29752
Aluminium Handle, 1505 mm
Green telescopic



Item No: 29592
Aluminium Handle,
1505 mm



Technical data

Aluminium handle with colour coded grip. Can be used with any product within the colour coded range.

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 29812 Aluminium Handle, 650 mm

Aztec Chemicals™



Technical data

Material Aluminium, Polypropylene
Colour Green
Diameter 31 mm
Height 31 mm
Length 650 mm
Width 31 mm
Max cleaning temperature (Autoclave) 121 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 8

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 297352 Aluminium telescopic waterfed handle w/click fit, 2840 mm

Aztec Chemicals™



Technical Data

Material Aluminium, Polypropylene
Product Diameter 31 mm
Height 31 mm
Length 1600 mm
Max. Length 2840 mm
Width 31 mm
Max. usage temperature (for food contact) 50 °Celsius

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 10172
Wall Bracket 1-3 Products, 155 mm

Aztec Chemicals™



Storage of cleaning equipment ensures good hygiene practice and extends the shelf life of equipment. Fully colour coded, you can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, by removing the hooks and rubber clips they can be cleaned in an autoclave.

Technical data

Material Polypropylene, Rubber

Colour Green
Height 44 mm
Length 160 mm
Width 67 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Min. usage temperature -10 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item number: 10182
Wall Bracket 4-6 Products, 393 mm



Storage of cleaning equipment ensures good hygiene practice and extends the shelf life of equipment. Fully colour coded, you can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, by removing the hooks and rubber clips they can be cleaned in an autoclave.

Technical data

Material Polypropylene, Rubber

Colour Green
Height 60 mm
Length 395 mm
Width 80 mm


Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Min. usage temperature -10 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 53762 Tube Brush, 20mm

Aztec Chemicals™

The 20mmø of this tube cleaner is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which are chemically resistant and strong.



Technical data


Filament Description: Medium
Visible Filament Length: 9 mm
Material: Polypropylene, Polyester, SS

Colour: Green
Product Diameter: 20 mm
Height: 25 mm
Length: 500 mm
Width: 25 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 53584
Brush Kit, Red.



Assortment of different tube cleaners with varying diameters, which can be used to clean difficult to access areas in all varieties of equipment.

Technical data

Material: PBT, PPN, Stainless Steel, Aluminium

Colour: Red
Height: 100 mm
Length: 500 mm
Width: 260 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Min. usage temperature -20 °Celsius

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 5048 Toilet Brush Set

Aztec Chemicals™



White, Bleach resistent, polyproplene, Quality bristle toilet brush, Floor Standing.

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 559518 Longhandled brush/dustpan set, 985 mm

Aztec Chemicals™





Technical data

Height 210 mm
Length 985 mm
Width 260 mm

Max cleaning temperature (Autoclave) 70 °Celsius
Min. usage temperature 40 °Celsius
Max. usage temperature (for food contact) 0 °Celsius

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 41862
Washing Brush long handle, Stiff.

Aztec Chemicals™



The long handle on this brush allows the operator to reach into parts of equipment that are hard to access. The angled hard bristle works well for scrubbing at a distance, e.g.cleaning machines, deep buckets, containers and tubs or anywhere that may require longer reach.

Technical data

Filament Description: Stiff
Visible Filament Length: 36 mm
Material: Polypropylene, Polyester, SS

Height: 75 mm
Length: 415 mm
Width: 71 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 70372
Tank Brush, Stiff

Aztec Chemicals™



The oval-shaped brush with stiff bristles is effective for scrubbing inside large industrial tanks and other large container-like equipment. The rounded edges work well to clean down the sides of equipment where the entry point is from above. It also fits well into large channel drains.

Technical data

Filament Description Stiff
Visible Filament Length 40 mm
Material Polypropylene, Polyester, SS

Colour Green
Height 100 mm
Length 205 mm
Width 130 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.

Item No: 38902 Washing Brush, Stiff.

Aztec Chemicals™



This multi-purpose brush has stiff angled bristles to facilitate scrubbing tables, conveyor belts, chopping boards, buckets, large scaled bowls and equipment where it is necessary to reach into corners. At the one end of the brush you have even harder filaments, which facilitates loosening more stubborn dirt.

Technical data

Filament Description: Stiff
Visible Filament Length: 36 mm
Material: Polypropylene, Polyester, SS

Colour: Green
Height: 60 mm
Length: 200 mm
Width: 70 mm

Max cleaning temperature (Autoclave) 121 °Celsius
Max. cleaning temperature (Dishwasher) 93 °Celsius
Max. usage temperature (for food contact) 80 °Celsius
Min. usage temperature -20 °Celsius
Min. pH-value in usage concentration 2
Max. pH-value in Usage Concentration 10.5

New equipment should be cleaned, disinfected and sterilised before use, as appropriate to its intended use. e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units.