

# SAFETY DATA SHEET

## AMBIENT AIR FRESHENER SYSTEM Avanti

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** AMBIENT AIR FRESHENER SYSTEM Avanti

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Air freshener

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Aztec Chemicals  
Unit 16, University Way  
Orion Park  
Crewe  
Cheshire  
CW1 6NG  
+ 44 (0) 1270 655500 (T)  
+ 44 (0) 1270 655501 (F)  
info@aztecchemicals.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)7831 300868

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards** Aerosol 1 - H222, H229  
**Health hazards** Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 2 - H371  
**Environmental hazards** Aquatic Chronic 2 - H411

**Classification (67/548/EEC or 1999/45/EC)** R43. F+;R12. R52/53.

**Human health** Gas or vapour is harmful on prolonged exposure or in high concentrations. In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.

**Environmental** The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**Physicochemical** Aerosol containers can explode when heated, due to excessive pressure build-up. The product is extremely flammable. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

#### 2.2. Label elements

##### Pictogram



**Signal word**

Danger

## AMBIENT AIR FRESHENER SYSTEM Avanti

|                                       |   |
|---------------------------------------|---|
| <b>Hazard statements</b>              | H222 Extremely flammable aerosol.<br>H229 Pressurised container: may burst if heated<br>H302 Harmful if swallowed.<br>H317 May cause an allergic skin reaction.<br>H319 Causes serious eye irritation.<br>H371 May cause damage to organs .<br>H411 Toxic to aquatic life with long lasting effects.  |
| <b>Precautionary statements</b>       | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 Do not spray on an open flame or other ignition source.<br>P251 Do not pierce or burn, even after use.<br>P260 Do not breathe vapour/spray.<br>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.<br>P102 Keep out of reach of children.<br>P501 Dispose of contents/container in accordance with local regulations.<br>P271 Use only outdoors or in a well-ventilated area.<br>P262 Do not get in eyes, on skin, or on clothing. |
| <b>Supplemental label information</b> | RCH002b For professional users only.  |
| <b>Contains</b>                       | LIMONENE, Hexyl Cinnamal, METHANOL, d-LIMONENE  |

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

|   |  |   |
|---|--|---|
| <b>ETHANOL</b> <span style="float: right;"><b>30-60%</b></span>     |  |   |
| CAS number: 64-17-5   | EC number: 200-578-6                                       | REACH registration number: 01-2119457610-43   |
| <b>Classification</b><br>Flam. Liq. 2 - H225<br>Eye Irrit. 2 - H319 | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>F;R11  |   |
| <b>BUTANE</b> <span style="float: right;"><b>10-30%</b></span>      |  |   |
| CAS number: 106-97-8  | EC number: 203-448-7                                       | REACH registration number: Exempt under REACH |
| <b>Classification</b><br>Flam. Gas 1 - H220<br>Press. Gas           | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>F+;R12 |   |
| <b>ISOBUTANE</b> <span style="float: right;"><b>10-30%</b></span>   |  |   |
| CAS number: 75-28-5   | EC number: 200-857-2                                       | REACH registration number: Exempt under REACH |
| <b>Classification</b><br>Flam. Gas 1 - H220<br>Press. Gas           | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>F+;R12 |   |

**AMBIENT AIR FRESHENER SYSTEM Avanti**

|   |  |   |
|---|--|---|
| <b>PROPANE</b> <span style="float: right;"><b>10-30%</b></span>   |  |   |
| CAS number: 74-98-6   | EC number: 200-827-9   | REACH registration number: Exempt under REACH |
| <b>Classification</b><br>Flam. Gas 1 - H220<br>Press. Gas   | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>F+;R12                         |   |
| <b>LIMONENE</b> <span style="float: right;"><b>1-5%</b></span>  |  |   |
| CAS number: 138-86-3  | EC number: 205-341-0   |   |
| M factor (Acute) = 1  | M factor (Chronic) = 1   |   |
| <b>Classification</b><br>Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1 - H317<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>R10 R43 Xi;R38 N;R50/53        |   |
| <b>Hexyl Cinnamal</b> <span style="float: right;"><b>1-5%</b></span>  |  |   |
| CAS number: 101-86-0  | EC number: 202-983-3   | REACH registration number: N/A                |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Skin Sens. 1 - H317  | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>Xi;R38. R43.                   |   |
| <b>METHANOL</b> <span style="float: right;"><b>1-5%</b></span>  |  |   |
| CAS number: 67-56-1   | EC number: 200-659-6   | REACH registration number: 01-2119433307-44   |
| <b>Classification</b><br>Flam. Liq. 2 - H225<br>Acute Tox. 3 - H301<br>Acute Tox. 3 - H311<br>STOT SE 1 - H370                                    | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>F;R11 T;R23/24/25,R39/23/24/25 |   |
| <b>d-LIMONENE</b> <span style="float: right;"><b>1-5%</b></span>  |  |   |
| CAS number: 5989-27-5   | EC number: 227-813-5   | REACH registration number: 01-2119529223-47   |
| M factor (Acute) = 1  | M factor (Chronic) = 1   |   |
| <b>Classification</b><br>Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1 - H317<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>R10 R43 Xi;R38 N;R50/53        |   |

## AMBIENT AIR FRESHENER SYSTEM Avanti

|   |                        |  |               |
|---|------------------------|--|---------------|
| <b>1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYL-INDENO[5,6-C]PYRAN</b>      |                        |  | <b>&lt;1%</b> |
| CAS number: 1222-05-5   | EC number: 214-946-9   | REACH registration number: 01-2119488227-29                  |               |
| M factor (Acute) = 1  | M factor (Chronic) = 1 |  |               |
| <b>Classification</b><br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 |                        | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>N;R50/53 |               |

  

|   |                        |   |               |
|---|------------------------|---|---------------|
| <b>ALLYL HEPTANOATE</b>   |                        |   | <b>&lt;1%</b> |
| CAS number: 142-19-8  | EC number: 205-527-1   | REACH registration number: 01-2119488961-23   |               |
| M factor (Acute) = 1  | M factor (Chronic) = 1 |   |               |
| <b>Classification</b><br>Acute Tox. 4 - H302<br>Acute Tox. 4 - H312<br>Skin Irrit. 2 - H315<br>STOT RE 2 - H373<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 |                        | <b>Classification (67/548/EEC or 1999/45/EC)</b><br>Xn;R21/22,R48/22. Xi;R38. N;R50/53. |               |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                            |  |
|----------------------------|--|
| <b>General information</b> | Move affected person to fresh air at once.   |
| <b>Inhalation</b>          | If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately. |
| <b>Ingestion</b>           | Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.  |
| <b>Skin contact</b>        | Remove contaminated clothing immediately and wash skin with soap and water.  |
| <b>Eye contact</b>         | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with foam, carbon dioxide, dry powder or water fog.

#### 5.2. Special hazards arising from the substance or mixture

## AMBIENT AIR FRESHENER SYSTEM Avanti

### Specific hazards

Containers can burst violently or explode when heated, due to excessive pressure build-up. Extremely flammable. Forms explosive mixtures with air. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. Containers can burst violently or explode when heated, due to excessive pressure build-up.

### 5.3. Advice for firefighters

#### Protective actions during firefighting

Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapours. Warn firefighters that aerosols are involved.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Provide adequate ventilation. Use suitable respiratory protection if ventilation is inadequate. Avoid inhalation of vapours.

### 6.2. Environmental precautions

#### Environmental precautions

Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter confined spaces, due to the risk of explosion.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Usage precautions

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Eliminate all sources of ignition. Do not spray on a naked flame or any incandescent material.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Extremely flammable. Keep away from heat, sparks and open flame. Store at moderate temperatures in dry, well ventilated area. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

### 7.3. Specific end use(s)

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

##### BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm

Short-term exposure limit (15-minute): WEL 750 ppm

##### ISOBUTANE

Long-term exposure limit (8-hour TWA): WEL 800 ppm

Short-term exposure limit (15-minute): WEL No std.

## AMBIENT AIR FRESHENER SYSTEM Avanti

### PROPANE

Long-term exposure limit (8-hour TWA): SUP ppm

Short-term exposure limit (15-minute): SUP ppm

### METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm(Sk) 266 mg/m<sup>3</sup>(Sk)

Short-term exposure limit (15-minute): WEL 250 ppm(Sk) 333 mg/m<sup>3</sup>(Sk)

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

### ETHANOL (CAS: 64-17-5)

|                            |  |
|----------------------------|--|
| <b>Ingredient comments</b> | WEL = Workplace Exposure Limits  |
| <b>DNEL</b>                | Industry - Inhalation; Short term : 1900 mg/m <sup>3</sup><br>Industry - Dermal; Long term : 343 mg/kg/day<br>Industry - Inhalation; Long term : 950 mg/m <sup>3</sup><br>Consumer - Inhalation; Short term : 950 mg/m <sup>3</sup><br>Consumer - Dermal; Long term : 206 mg/kg/day<br>Consumer - Inhalation; Long term : 114 mg/m <sup>3</sup><br>Consumer - Oral; Long term : 87 mg/kg/day |
| <b>PNEC</b>                | - Fresh water; 0.96 mg/l<br>- Marine water; 0.79 mg/l<br>- Sediment; 3.6 mg/kg<br>- Soil; 0.62 mg/kg<br>- STP; 580 mg/l  |

### METHANOL (CAS: 67-56-1)

|             |  |
|-------------|--|
| <b>DNEL</b> | Industry - Dermal; Short term systemic effects: 40 mg/kg/day<br>Industry - Inhalation; Short term systemic effects: 260 mg/m <sup>3</sup><br>Industry - Inhalation; Short term local effects: 260 mg/m <sup>3</sup><br>Industry - Dermal; Long term systemic effects: 40 mg/kg/day<br>Industry - Inhalation; Long term systemic effects: 260 mg/m <sup>3</sup><br>Consumer - Inhalation; Long term local effects: 50 mg/m <sup>3</sup><br>Consumer - Dermal; Short term systemic effects: 8 mg/kg/day<br>Consumer - Inhalation; Short term systemic effects: 50 mg/m <sup>3</sup><br>Consumer - Oral; Short term systemic effects: 8 mg/kg/day |
| <b>PNEC</b> | - Fresh water; 154 mg/l<br>- Marine water; 15.4<br>- Sediment; 570.4 mg/kg<br>- Soil; 23.5 mg/kg<br>- STP; 100 mg/l<br>- Intermittent release; 1540 mg/kg  |

### 8.2. Exposure controls

**Appropriate engineering controls** Provide adequate ventilation. Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.

**Personal protection** When using do not smoke.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

## AMBIENT AIR FRESHENER SYSTEM Avanti

|                               |  |
|-------------------------------|--|
| <b>Hand protection</b>        | Due to the packaging form, aerosol, risk of skin contact is small. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. |
| <b>Hygiene measures</b>       | Wash hands after handling. Wash promptly if skin becomes contaminated. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.   |
| <b>Respiratory protection</b> | If ventilation is inadequate, suitable respiratory protection must be worn.  |

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| <b>Appearance</b>                                   | Aerosol.   |
| <b>Odour</b>  | Organic solvents.  |
| <b>Flash point</b>                                  | <-40°C   |
| <b>Upper/lower flammability or explosive limits</b> | : 1.8  |
| <b>Auto-ignition temperature</b>                    | 410-580°C  |
| <b>Comments</b>                                     | Information given is applicable to the major ingredient. |

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

#### 10.2. Chemical stability

**Stability** Avoid the following conditions: Heat, sparks, flames.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

**ATE oral (mg/kg)** 7,716.04938272

##### Acute toxicity - dermal

**ATE dermal (mg/kg)** 23,148.14814815

**General information** Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.

## AMBIENT AIR FRESHENER SYSTEM Avanti

|   |  |
|---|--|
| <b>Inhalation</b>                       | In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Unconsciousness, possibly death.               |
| <b>Skin contact</b>                     | Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.   |
| <b>Eye contact</b>                      | Vapour or spray in the eyes may cause irritation and smarting.   |
| <b>Acute and chronic health hazards</b> | Arrhythmia (deviation from normal heart beat). In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. |
| <b>Route of entry</b>                   | Inhalation   |
| <b>Target organs</b>                    | Central nervous system Respiratory system, lungs   |
| <b>Medical symptoms</b>                 | Arrhythmia (deviation from normal heart beat). Narcotic effect. Vapours may cause drowsiness and dizziness.  |

### SECTION 12: Ecological Information

|                    |   |
|--------------------|---|
| <b>Ecotoxicity</b> | No negative effects on the aquatic environment are known. The product is not expected to be toxic to aquatic organisms. |
|--------------------|---|

#### 12.1. Toxicity

#### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

|                            |   |
|----------------------------|---|
| <b>General information</b> | Do not puncture or incinerate, even when empty.   |
| <b>Disposal methods</b>    | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Empty containers must not be punctured or incinerated because of the risk of an explosion. |

### SECTION 14: Transport information

|                |   |
|----------------|---|
| <b>General</b> | This product is packed in accordance with the Limited Quantity Provisions of CDG CPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following. |
|----------------|---|

#### 14.1. UN number

|                         |      |
|-------------------------|------|
| <b>UN No. (ADR/RID)</b> | 1950 |
| <b>UN No. (IMDG)</b>    | 1950 |
| <b>UN No. (ICAO)</b>    | 1950 |

#### 14.2. UN proper shipping name

|                                       |          |
|---------------------------------------|----------|
| <b>Proper shipping name (ADR/RID)</b> | AEROSOLS |
|---------------------------------------|----------|



## AMBIENT AIR FRESHENER SYSTEM Avanti

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

### 14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID label 3

IMDG class 2.1

ICAO class/division 2.1

### Transport labels



### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Tunnel restriction code (D)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**Guidance** Workplace Exposure Limits EH40.  
CHIP for everyone HSG228.  
Safety Data Sheets for Substances and Preparations.  
Approved Classification and Labelling Guide (Sixth edition) L131.  
British Aerosol Manufacturers Code of Practice 7th. Edition 1999

### 15.2. Chemical safety assessment

## SECTION 16: Other information

Revision date 01/10/2014

Revision 1

SDS number 10332

SDS status Approved.

## AMBIENT AIR FRESHENER SYSTEM Avanti

### Risk phrases in full

R10 Flammable.  
 R11 Highly flammable.  
 R12 Extremely flammable.  
 R21/22 Harmful in contact with skin and if swallowed.  
 R22 Harmful if swallowed.  
 R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.  
 R36/37/38 Irritating to eyes, respiratory system and skin.  
 R38 Irritating to skin.  
 R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.  
 R43 May cause sensitisation by skin contact.  
 R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.  
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R65 Harmful: may cause lung damage if swallowed.

### Hazard statements in full

H222 Extremely flammable aerosol.  
 H225 Highly flammable liquid and vapour.  
 H229 Pressurised container: may burst if heated  
 H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H220 Extremely flammable gas.  
 H311 Toxic in contact with skin.  
 H312 Harmful in contact with skin.  
 H222 Extremely flammable aerosol.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H225 Highly flammable liquid and vapour.  
 H226 Flammable liquid and vapour.  
 H370 Causes damage to organs .  
 H371 May cause damage to organs .  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H229 Pressurised container: may burst if heated  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H311 Toxic in contact with skin.  
 H312 Harmful in contact with skin.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H370 Causes damage to organs .  
 H371 May cause damage to organs .  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.

## **AMBIENT AIR FRESHENER SYSTEM Avanti**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.